154 Pt. I

19 42 : 45

File No. S-59/13

L CLASS

P.W 'DEPARTMENT

El. BRANCH

Subject:— Electric License.

Gadag - Belgeri.

Restrictions on the supply of electric energy under the Defence of India Rules.

13 L I : 1946

Pt. I

File No. S-59/13 El. B-

Sta. Sectt. Slip 24-A

G. R., G. D., No. 2408, dated 22-6-22.]

Std. Sectt. 78 e.

DOCKET SHEET

Subject:—

File No. S. 59/13

P. W **DEPT.**

El **BRANCH.**

References:—

Date.	To whom sent.	Notes and instructions.

Subject:War Injuries scheme 1942.

--

No.WAR/GENL.
Dharwar, 20th April 1942

From

A.L.Dias,Esquire,I.C.S.,
Collector of Dharwar.

To

The President,D.L.B.Dharwar.
The Administrator,Municipal Borough,Hubli.
The Presidents of other Municipalities except Dharwar.
The Officer, in charge of Cooperative Hospital,Hubli.
do. Basel Mission Hospital,Gadag.

Sir

I have the honour to enclose a copy of para 4 of G.R.R.D.No.S.D.1095 of 2/4/1942 on the subject noted above and to request you to cooperate in the War Injuries Scheme set up by the Central Department.

This should please be treated as urgent and a reply sent to this office within a week.

Your most obedient servant,

O.C.signed by Collr.

BBP. for Collector of Dharwar.

Copy of para 4 of G.R.R.D.No.S.D.1095 of 2/4/1941.

--

4. Government is also pleased to prescribe all Government Hospitals and Dispensaries in the Province and all Municipal Hospitals and Dispensaries in Bombay City as the Hospitals and Dispensaries wherein free medical and surgical treatment shall be available under the scheme.
This should be announded for the information of the public by means of a Press Note. It is intended similarly to prescribe also all local fund Hospitals and dispensaries in the districts as well as the private hospitals mentioned in the attached list. All Collectors should therefore be requested to ascertain and report to Government as soon as possible whether the local bodies and the authorities in charge of private hospitals in their respective districts are willing to co-operate in the Scheme by providing, at the cost of Central Government, medical and surgical treatment to victims of war injuries. The Collectors should also be requested to ascertain and report the number of copies of the War Injuries Ordinance, Scheme and Regulations and the Press Note issued by the Government of India on 1st January 1942 and the estimated numberof Forms B-1 to B-5 prescribed in the Regulations which will be required for distribution to local bodies and local fund hospitals and dispensaries and private hospitals. The Surgeon General should be requested to make similar enquiries and submit a report to Government in respect of the private hospitals in Bombay City.

Instructions regarding the manner in which payment will be make for medical treatment provided by hospitals and dispensaries will be communicated to the authorities concerned later.

BBP.

True copy 3

27.4.1942.

to

The Collector of Dharwar.

Ref: No.WAR/GENL Dharwar, 20th April 1942.

Subject: War Injuries Scheme 1942.

Sir,

I beg to acknowledge receipt of your letter concerning the War Injuries Scheme 1942.We are quite willing to cooperate in the War Injuries Scheme set up by Central Department.

The only question we have to submit unto you is that our Hospital in its present state is just sufficient for the ordinary needs of the place.We have 100 beds,but really only 90 places available for in-patients.It is only when we occupy all the corners of the verandas that we can put up 100 in-patients.During the year 1941 we had a daily average of 87 patients.Therefore if we collaborate with the War Injuries Scheme,we would need more space and more beds. Would Government be willing to help us to make the necessary accomodations.

We have the honour to be,
Sir,
Yours most obediently,

Mission Hospital
Gadag-Betgeri.

True copy 5

Mission Hospital,
Gadag-Betgeri.

14th January 1942.

Dear Sir,

According to your letter No.1898/27048,we are here with enclosing a Cheque on the Bombay Provincial Co-Operative Bank Ltd., for Rs.1372/-/-,Kindly do the needful and oblige.

We will write you again when the room and the Electrical arrangement is made.

Yours Truly,

To.
Victor X-Ray Corporation (India) Ltd.
Bombay

MANVI BROTHERS,

Electric Light & Power Suppliers. GADAG.

Dist :- DHARWAR.

Date 6th.May 1942.

To,

The Deputy Secretary to the Government of Bombay,

Public Works Department,

Subject:- Fixing up The"X Ray Equipment" at-
The Mission Hospital Gadag-Betgeri.

Sir,

As per your Press note of Publication dated 9th. April 1942, regarding the restriction and control over the supply of Electricity, we beg to enclose here with the required applicat ion Form, duly filled in, which please ~~xxxx~~ acknowledge .

Hoping to get the permission for fixing the" X Ray Equipment" at the said Mission Hospital Betgeri, as the said Machine is already bought by them on the 14 th. January 1942., and also the The said Hospital is willing to cooperate in the War injuries Scheme, for which the true copies of the letters M. 1 3 2 to & from the Collector Dharwar, and a copy of the letter to the Victor X Ray Corporation (India) Ltd. Bombay, are here with attached. Thanking you in anticipation Sir,

Yours most obediently,

V. R. Bellad

Manager

For Manvi Brothers Gadag.

Ltd. Bombay, are here with
[illegible] the Civil Air Defence, and a copy of the letter to th
ar Injuries Scheme, for which the two copies of the letters
dya Bro the The Zaid Hospital is willing to cooperate in the
Treating is already bought by them on the 16 th. January 1942.
Equipped at the said Mission Hospital Sector, as the said
Replying to Sec the permission for fixing the X Ray
ion Room duly filled in, which please make acknowledge "

of Electricity, we beg to enclose here with the required applicat
Port Trust" restricting the restriction and control over the supply
ve Our Your Trade note of Publication dated Oct.

Ayes

The Mission Hospital Sector-Extract.

Subject:- Fitting up The X Ray Equipment at
Capitle works Department.

The Deputy Secretary to the Government of Bombay,

Sir,

Bombay, May 1942.

[illegible]

PUBLIC WORKS DEPARTMENT
File No. 8-59/13
8. MAY 1942
Serial No. 43

8-5-42

S.59/13
43

M.B. P.W.D.

Submitted.

2. The supply is req^d for the hospital. Pl see condition (e) + the condition + of essentiality of supply. 9+ is for orders whether the supply may be sanctioned.

8/4
11/5/42 May be sanctioned -

11/5 -

11/5 -
D.S.

11/5

Secy

'Essential' + Sanctioned

Resubmitted.

2. The requisite entries have been

S.54/13/43

1.

made in the appln, which will be returned to the Leg after the D. S. has signed it.

821
14/5/42



Remember Army. DEFENCE SAVINGS CERTIFICATES

INDIAN POSTS AND TELEGRAPHS DEPARTMENT.

BOMBAY 8 DEC 42

Received here at ____ H. ____ M.

No. 3104

J U MK GADAG CITY 8 26 RP PD ONE RE BUMBWORKS BOMBAY

DISCONNECTED LIGHTING INSTALLATIONS REQUIRED

RECONNECTIONS URGENTLY ON EXISTING SERVICES NO EXTRA

EQUIPMENT NECESSARY KINDLY WIRE PERMISSION = MANVI BROS

The sequence of entries at the beginning of this telegram is—class of telegram, time handed in, serial number (in the case of foreign telegrams only), office of origin, date, service instructions (if any), and number of words.

This form must accompany any enquiry respecting this telegram.

MGIFPAh.—1972—17-3-42—72,400 Bks.

S.59/13
1336

No. S.59/13/1336 El.

P.W.D.

B.C. 9th Decr 1942

To

S. A. Manni Esqr
Licensee, The Gadag Electric
Licence, 1936, Gadag

Subject: Supply of electric power: Recommencement.

Dear Sir,

With reference to your telegram dated the 8th Decr 1942 I am to inform you that in each case you should submit an ability to Govt in the prescribed form for the necessary orders in each case.

2. The rebate voucher received with your telegram is returned herewith.

Yours Obly

9/12/42

PUBLIC WORKS DEPARTMENT
File No. S-59/13
-9 DEC 1942
Serial No. 1336

9/12

D. A. Rebate voucher.

DS Shown next Voucher

TELEGRAM "MANVI BROS"

MANVI BROTHERS,

Electric Light & Power Suppliers,

Gadag-Betigeri, Byadgi and Ranebennur.

DIST: DHARWAR

Gadag 10th Dec. 1942.

To,
The Deputy Secretary,
to the Government of Bombay,
P.W.D. BOMBAY.

Respected Sir,

We herewith beg to request your Honour that, we had sent a telegram (P 3), reply paid on the 8th instant, to the address as BELOW:

" BOMBWORKS"-BOMBAY
DISCONNECTED LIGHTING INSTALLATIONS REQUIRED RECONNECTIONS URGENTLY ON EXISTING SERVICES
MANVI BROTHERS".

But sorry to know that, we did not receive the reply up till now. So, we hope that your Honour will be kind enough to confirm our telegram and grant us permission.

Your most obedient servants,
For Manvi Brothers Gadag

S.59/13
1371

M.B.

P.W.D.

Submitted.

2. The necessary reply

has been issued

C.S. on 4 ant.

Record.

14/12/42

PUBLIC WORKS DEPARTMENT
File No. S.59/13
14. DEC. 1942
Serial No. 1371

14/12/42

TELEGRAM 'MANVI BROS'

MANVI BROTHERS,

Electric Light & Power Suppliers,

Gadag-Betigeri, Byadgi and Ranebennur.

DIST: DHARWAR

Gadag 13th. December 1942.

To,
The Deputy Secretary,
to the Government of Bombay
P.W.D. Offices .
Churchgate Street
Fort Bombay.

Re.-Extension of lights i.e. strengthi
ng of existing services.

Sir,

We herewith beg to request that , we have enclosed two Applications Forms in duplicat -e , of messrs. Shiddappa Halawagali for his residential House, and the other from N.R. Gangavati proprietor of Sree Mahalaxmi Talkies Gadag, for the Talkies equipment. We hope that will kindly consider the cases and arrange for the permission at your earliest convenient date.

Your most obedient
Servants,

For Manvi Brothers Gadag.

S.59/13/1382

M.B. P.W.D.

Submitted.

2. The applin. H.1-2 is for strengthening of the existing service for lighting in a residential house. The remarks of the supply coy against item H.1 11(a) of the applin are not understood, while against item H.1 11(c) the remark is 'nil' the remark in the duplicate H.3-4 copy of the applin against the same item is 'materials in hand'. The coy has filled in the entries negligently. The applin may perhaps first be returned to the coy for reconciling the above discrepencies & to fill in the entries correctly & carefully.

Sir.

21-12-42

PUBLIC WORKS DEPARTMENT
File No. S. 59/13
15. DEC. 1942
Serial No. 1382

S.59|13|1382

M.B. P.W.D.

Resubmitted with reference to the D.S's orders on the previous page.

2. The draft put up may issue if approved.

23.12.42

No. S.59|13|1382 EE

P.W.D.

B.C. 24th December 1942

To

Messrs Manvi Bros

Gadag, Dist Dharwar.

Sub:— Supply of electric power

Dear Sirs,

In returning herewith the applns in duplicate recd with your letter dt the 13-12-42, I am to state that your remarks against item No. 1 (a) therein are not understood.

.|13|1982

ile the remark against item 11(c) of the applin is 'nil' the remark against the same item in the duplicate copy is 'materials in hand'. You are requested to reconcile these discripencies & to fill in the entries correctly & carefully in the applin & its duplicate copy

sdin.
23-12-82

yours ffly

D.A. An applin in duplicate

I.S

TELEGRAM 'MANVI BROS'

MANVI BROTHERS,

Electric Light & Power Suppliers,

Gadag-Betigeri, Byadgi and Ranebennur.

DIST: DHARWAR

Gadag 2nd January 1943.

To,

Deputy Secretary to the Govt. of India
Bombay, Public Works Department.

Sir,

We beg to acknowledge the receipt of your letter No.S.59/13/1382 El, dated 24th Dec.42, together with an application with a duplicate copy. We regret the omition and mistake that has crept in through oversight , and we have made the necessary additional entries, in both the copies, about the Item No.11(a) & (C), which we hope will be intelligiable to you. And further, there is a chronological irregularity about Item No.11(f) in ~~duplicate~~ original, which has been stated before Item No.11 (e) due to accidential mistake of the typest. We hope that the application together with a duplicate copy with necessary additions are clear to you.

Yours most obediently,

Manager.- V.R.Bellad

For Manvi Brothers Gadag.

S.59/13/15

M.B.

P.W.D.

Submitted with reference to
U.D.-2
U.O. no. S.59/13/1382-El d. the 24-12-42.

2. The addl U.D.-2 supply is reqd. for lighting for residential purposes. From the Coy's remarks at item 11(c) it will be seen that the consumer has to supply the materials in this case. Attention is invited to para 4 of the Govt, Deptt of Labour, C.E.P.C. Board's covering letter no. A 826 in this connection. The apply may therefore be refused.

[illegible] to be supplied at the commence[illegible]

4/1

4-1-43

To refuse

4/1

IS DEPARTMENT
File No. S.59/13
4. JAN. 1943
Serial No. 15

D.S.

4/1

Ex. C

4.1.43

9.59/13/15

M.B. P.W.D.

Resubmitted with reference to the D.S's orders on the previous page.

2. The necessary entries have been made in the applⁿ & the duplicate copy within. After D.S. has signed, the applⁿ will be returned to the coy & the duplicate copy forwarded to the Ed Engr to your M.M. 3-4 giv.
12-1-43

13/1

F+S.

*Not essential & Refused.

+ adhp : 24

From

N.R.Gangavati

proprietor

Sree.Mahalakshmi Cinema

Gadag,

To

The Deputy Secretary

public Works Department

Government of Bombay

Bombay

Sir,

Re: Supply of Electric Energy

I beg to state that my theatre is connected to the main supply of M/s Manvi Bros Gadag, for the supply of current. I have also got a generating set, and with a view to put down the cost of expenses, and as a standby, I am using the current both from M/s Manvi Bros, and my own generating Set, so far. The Oil Engine in my theatre power house, being too old to depend upon steady supply of current, which is essential for successful projection of Talkie Pictures, and the availability of the spare parts for the engine being too doubtful, I propose to take the current exclusively from M/s Manvi Brothers, from 1st December 1942 latest. I learn from M/s Manvi Brothers, that they cannot supply me the required energy, except by permission from the Government.

I therefore request you, Sir, to be pleased to order M/s. Manvi Brothers Gadag, to supply me the required energy for lights, fans, and Talkie Projectors of my theatre, at an early date. Thanking you, for favour of your early orders, I remain,

Yours faithfully
For Sree Mahalakshmi Cinema

Proprietor

Gadag, 30th Oct, 1942.

S.59/13
1114

No S.59/13/1114 El.

T.W.D.

B.C. 4th Nov 1942

To

The Proprietor,
Shree Mahalaxmi Cinema
Gadag

Sub:— supply of electric power.

Dear Sir,

With reference to your letter, dated the 30th Octr 1942 you are advised to ask Messrs Manvi Bros to submit an application in the prescribed form for the necessary orders

Yours Ffly.

3/11/42

3/11

Bros 3/11

D.S

El Br 2/11

PUBLIC WORKS DEPARTMENT
File No. S-59/13
-2. NOV. 1942
Serial No. 1114

3/11

El Br

2 11 42

S 59/13/1382(1)

Name of the consumer
Mr. M. R. Gangavati

Proprietor Shree Mahalaxmi Talkies



P. W. D.

M.B. p 2

Submitted with reference to E. S. no S 59/13/1114 El. dated the 4-11-42

2. The addl. Lab 3-4 is for strengthening of the existing service to a cinema. The eng requires material for giving this addl supply. Attention is invited to the consumer's letter on p 1 ante. The supply to a cinema is not considered essential. It is for orders whether the addl may be refused.

939
19/11/42

Presumably this will save the oil supplied for the Cinema's del. Please see if any necessary decision of Ex. Engr. Tb. should be taken.

U.O. to El. Engr. Lofont., d. 21-12-42

727

Below U.O.R.No.S.59/13/1382(1) dated the 21st December 1942, from Government in the Public Works Department.

No. Elec/4410 of 1943.

Bombay, 18th January 1943.

Returned, with compliments.

2. The matter was referred to Messrs Manvi Brothers, Gadag, who state that supply can be given to the Theatre within the present quota of diesel oil allotted to them.

Electrical Engineer to Govt.

P.

S.59/13
105

M.B. P.W.D.

Submitted with reference to the Dy. secy's note dated the 21.12.42

2. In view of the remarks of the Sr. Engr. to ent overleaf it is for orders whether the above may be sanctioned.

20/1/43.

Yes sanction, and it should save the Govt recurring charges.

20/1

W.S.

Secy

elm 19/1

PUBLIC WORKS DEPARTMENT
File No S. 59/13
19. JAN. 1943
Serial No. 105

EE 5
4-1-43

29 11

S.59/13/105

M.B.

P.W.D.

Resubmitted with reference to the D.S's orders on the previous page.

2. The necessary entry has been made in the applⁿ & the duplicate copy within. After D.S. has signed, the applⁿ will be returned to the coy & the duplicate copy forwarded to the Rd Engr to Govt

Sd/-
22-1-43

X. Sanctioned.

+ 22.1.43.

Sd/- [illegible]
E.E.

Serial Numbers.	Consumers' Names.	Address.	Registered Numbers.	Load in Amps.	Disconnected date & year.	Reason of disconnection.	Reconnection required.
1	V. V. Sultanpur	Extension Gadag.	475	2	7/11/41	The roof of the building was to be removed.	ye
2	The Real leather works.	Mill Road Gadag.	393 A.	1	30/9/42	Vacated the building & shifted to other one	yes
3	Shrinivas Stores	Bazar road Gadag.	16	1	—	—	ye
4	Ranjansaheb L. Kardi	Kuralti Peth Betgeri	388	1.1	—	—	ye
5	Veerchand Kanji	Mulgund Road Gadag.	162	1	1/8/40	Vacation of the house and Stayed at Bombay.	yes
6	Ramavilas Tea - club	Mahalanmi Road Gadag.	30	2	1/12/40	Vacation of the building	yes,
7	K. A. Bhagat	Bulla's owni Gadag.	146	1	6/12/40	Vacation of building	yes
8	S. A. Mansi	near Motor - Stand Gadag.	37	1	1/9/39	Vacation of Premises	yes
9	Raichand Lalji	Gujjar line Gadag.	142	1.2	1/10/40	Vacation of building	yes

Shifting of the Service Main	Cost of extra materials if required, in Rs. for service	Cost of extra materials for the shifting of wiring if required Rs.....	Lights required for, Residential, Industrial, Teashop, Shop or Public Buildings.	Name of the Electrical Suppliers and Address.....	Remarks of the Suppliers.	Manvi Brothers, Gadag	Remarks
no	not required	not required	Residential house	Manvi Brothers Gadag.	With the existing service only it can be connected without any extra cost.		
yes	not required	not required	Shoemakers & leather Shop	"	The same service can be utilised from the other nearer pole to the present building		
yes	not required	not required	Stationery Shop.	"	The tapping service can be given and from the existing wires of the old service from the old shop.		
YES	not required	not required	Tea Shop	"	The same old service wires can be shifted to his new building which is just adjacent to his old rented one		
no	not required	not required	Residential house	"	The same existing service can be utilised for reconnection without any extra cost.		
yes	not required	not required	Tea Shop	"	The same old & existing materials can be used for the service without any extra cost for reconnection		
no	not required	not required	Residential house	"	The service connection can be given by the existing old service mains without extra cost		
no	not required	not required	Dispensary	"	The reconnection can be carried out by the existing service mains without extra cost.		
no	not required	not required	Residential & office.	"	Can be reconnected by the existing service mains without extra cost.		

V. R. Belli

MANVI BROTHERS,

Electric Light & Power Suppliers, GADAG.

Dist :- DHARWAR

Date 25th January 1943.

To,

The Deputy Secretary to the Government
of BOMBAY P.W.D. BOMBAY.

Re.- Reconnections and Shifting of servicemains and wiring installations to other buildings.

R.Sir,

We herewith beg to submit your Honour, 2 Copies of the Applications in tabulated forms , of Consumers(Nine) ,(not of new connections or extensions) whose existing service Mains and wiring installations are to be shifted to other buildings, where they have shifted , without any extra cost of materials ; and of some consumers only the reconnections are to be carried out with the existing service mains only, without any extra cost for extra materials .

The positions of all the consumers that are mentioned in the-tabulated Forms,are shown to the Assistant Electrical Inspector P.W.D. POONA, and the Electrical Sub-Inspector P.W.D. Dharwar,when they had been here for the Annual Inspection of our Electric Concern at GADAG, recently, so we hope that you will kindly consider the cases and allow us to do the needful for them. Hoping an early and favourable reply.

True copies of the applications Forms, are forwarded to

The Assistant Electrical Inspector P.W.D. POONA, and

The Electrical Sub-Inspector P.W.D. DHARWAR for information and guidance .

Yours most obediently ,

V.R. Manvi

For Manvi Brothers Gadag.

S.59/13/164

No S.59/13/164 El.

P.W.D.

B.C. 17/2 Feby 1943

To

S.A. Mavi Esqr.
Engineer, The Gadag Electric
Engineering, 1936, Gadag.

Subject — Supply of electric power

Dear Sir,

With reference to the statement received with your letter dated the 25th January 1943, your attention is invited to the extract from Debate of Labour C.E.P.C. Board's Circular letter no A.825, dated the 15th June 1942 and para 5 of their memo no A 855, dated the 20th January 1943 to your address.

1. In respect of (1) transfers of existing

S.59/13
164

connections which are not covered by the concession granted in the enclosed Air Ministry letter of the 15th June 1942 (ii) reconnections. Applications should be made in duplicate for the necessary permission in the forms prescribed for new services, with explanatory remarks re: the nature of the case. In the case of reconnections inform re: when & why the installation was previously disconnected. Cases should not be grouped together but separate applications in each case should be made.

3 Transfers of existing connections covered by the concession mentioned in the preceding para should be reported to Govt with the necessary details as directed in their Govt letter No 193/136 El, dated the 16-9-42.

yours Hly

831
16/2/43



D.A. statement.

✓

TELEGRAM 'MANVI BROS'

MANVI BROTHERS,

Electric Light & Power Suppliers,

Gadag–Betigeri, Byadgi and Ranebennur.

DIST. DHARWAR

Gadag 3rd April 1943.

To,

The Deputy Secretary to the Govt.of
BOMBAY.

Subject:- Transfers of existing
Electric wiring insta
llations & service
Connections.--------

Sir,

With reference to your letter No.S.59/ ४१७-९
13/164-El. dated 17th February 1943, we here-
with beg to report that , as per your order
item No. 3 ४.९ in that letter , we have carried
out the transfers of the Electric wiring insta
llations and the service Mains of the followin
g consumers , from their old buildings to thei
-r shifted buildings ,with their own existing
materials . The same old service mains are
utilised without any extra cost for extra
materials.

Register No.	Consumers'names	Number of L.Poi -nts


PUBLIC WORKS DEPAR NT
File No. S-57/13
-5. APR 1943
Serial No.

TELEGRAM 'MANVI BROS'

MANVI BROTHERS,

Electric Light & Power Suppliers,

Gadag-Betigeri, Byadgi and Ranebennur.

DIST: DHARWAR

Gadag 3rd April 1943.

Continuation Sheet.-

RegisterNo.	Consumers'Names.	No.of Lights.	
		Lights.	Plugs.
18.	Shrinivas Stores.(Shop) GADAG.	4.	1.
61.	Girdharlal Javerchand GADAG. (Shop)	1.	0.
430.	Ramjansab L. Kardi Betgeri. (Tea-shop)	4.	1.
429.	Basvanneyya R.Aradhyamath Betgeri. (Tea-Shop)	1.	2.

Yours most obediently

For Manvi Brothers Gadag.

S.59/13/699

M.B. P.W.D.

Submitted for inform.
with reference to g.c. + wdl. put up if req'd
no. 1932/36 El d. 16-9-42.
2. The draft put up
may issue if appd.
sjw
17/4/43

9/1944

D.S. ---- ---

Mr 9-11

Below copy of letter
d. 3rd April 1943 from
S. A. Manni Esq. Licensee, The
Gadag Electric License, 1936,
Gadag.

no. S.59/13/699 El

P.W.D.
B.C. 20 11 April 1943

Copy forwarded to the
El Engr to Govt for inform.
with reference to g.c.
no. 1932/36 El d. 16-7-42.
sjw. By order of the Govt.
17/4/43

9/1944

file (with Br)
24/4

J.W.D. 21/4
El Br 6/4

PUBLIC WORKS DEPARTMENT
File No. S-13 S/13
- 6. APR. 1943
Serial No. 699

D.S. S I B

4 13

TELEGRAM, 'MANVI BROS'

MANVI BROTHERS,

Electric Light & Power Suppliers,

Gadag-Betigeri, Byadgi and Ranebennur.

DIST: DHARWAR

No 1 Gadag 26th. March 1943.

To,

The Deputy secretary to the Governmen
of Bombay, P.W.D. B O M B A Y .

R.Sir,

Re:-Reconnection of Electric
service mains

We have enclosed herewith two copies
of the application Forms, for the reconnec
tion of the Service Mains, after shifting
the same from the original pole to the
nearest one to the present Building, which
is near by. The reason for this is due to
their shift from the original building to
the present one . For this no extra materi
als are required. So please consider the
above case and give us permission to do so
at your earliest convenient date and oblig
e.

Yours most obedientl y,

for Manvi Brothers Gadag.


PUBLIC WORKS DEPARTMENT
File No. S-59/13
29. MAR 1943
Serial No. 640

7 43 S.59/13/640

M.B. P.W.D.

Submitted.

2. The supply is reqd. at a new place in substitution of the supply at the old place — Vide coy's remarks at item 11 of the letter on p. 5 ante. The addln may be sanctioned subject to the condition that the coy or the consumers do not require any new material.

clw.
13/4/43

May be sanctioned
13/4

D.S

Secy

14/4/43

S 59/13/640 ✕ 44

M.B.

P.W.D.

Resubmitted with reference to the orders overleaf.

2 The marginally noted * entry has been made in the applⁿ & the duplicate copy within. After D.S. has signed †, the applⁿ will be returned to the corp & the duplicate pp 3 & 4 copy forwarded to the El Engr to the Govt.

MHL
16/4/43.

16/4

Asst E.

D.S. —

* Sanctioned subject to the condition that the corp or the consumers do not require any new material.

+ ad pp 2 & 4

19/4

TELEGRAM—MANVIBROS.

PUBLIC SERVICES

MANVI BROTHERS,

Electric Light & Power Suppliers,

Gadag, Bagalkot, Byadgi and Ranebennur.

20 APR 1943

Serial No.

DIST: DHARWAR

Gadag 27th April 1943.

To,

The Deputy Secretary to the Govt. of
BOMBAY.

Subject:—Transfers of existing Electric wiring installations & Service Mains.

Sir,

We herewith beg to report that, we have carried out the transfers of the Electric wiring installations, and service Mains, of the following Consumers, from their old buildings to their shifted Buildings, with their own existing materials; and the same old services only are utilised without any extra cost.

Register No.	Consumers Names.	Lights.	Plugs.
295.	Dodbassappa Gurappa Mudgal (House)	3.	0.
251.	N.G. Habib (Bidi Vakhar)	2.	1.

Yours most obediently,

For Manvi Brothers Gadag.

S.59/13/1924. Z 46

M.B.

P.W.D.

Submitted for informn with reference to C.E. no. 1932/36 El d. the 16-7-42. + will be put up if rqd.

2. The draft put up may issue if appd.

MSG
1/5/43

Below copy of letter d 27th April 1943 from S.A. Manvi Elty, licensee, The Gadag Electric License, 1936, Gadag

No. S.59/13/1924 El

P.W.D

B.C. 2nd May 1943

copy forwarded to the El. Engr to Govt for informn with reference to C.E. no 1932/36 El dated the 16-7-42.

MSG
1/5/43.

By order etc.

PUBLIC WORKS DEPARTMENT
File No. S.59/13
29. APR. 1943
Serial No. 924

1/5/43

S.59/13/1352

M.B. No. 4 P.W.D.

Submitted.

2. The supply is required for lighting for residential purposes. The supply is not essential & may therefore be refused.

MSG
24/6/43.

24/6/43

D.S.

Yes. Refuse
1
23/6

24/6/43

S. 59/13/1352.

Appln of G. T. Chavan.

48

M.B.

P.W.D.

Resubmitted with reference to the orders overleaf.

2. The necessary entry has been made in the applm & the duplicate copy within. After D.S. has signed, the applm will be returned to the Secy & the duplicate copy forwarded to the Et. Engr. to Govt.

※ Refused.

+ not ft.

Issued
29/6.

M&E
26/6/43.

SW
26/6/43

28/6

Tel. Address :-
"CHAVAN"

Memorandum

Telephone
No. 28

Gopalrao Tukaram Chavan & Sons

Merchants & Commission Agents

GADAG

The Deputy Secretary.,
to Government of Bombay.,
P.W.D. Churchgate., St.
Fort.,Bombay.

Date 20th August. 1943

Dear Sirs,

SUB:- Permission to M/s Manvi Bros.
Electric suppliers.,Gadag, to
furnish ELECTRIC LIGHTS TO
RESIDENTIAL QUARTERS.

--------x--------x-----

With reference to our application dated the 14th June 43 submitted to your office through ourlocal electric suppliers M/s Manvi Bros., we understand that you have refused the permission.

We beg to draw your immediate attention to the urgent necessity of the Electric points thereof required for our Residential quarters and have to request your goodness to kindly consider our case as a special one and please permit them to supply the points to us and oblige.

Our residential quarters are very big one and due to the utter scaricity of KEROSENE OIL, it has become very difficult to furnish the quarters with Lights and many a day we have to keept our 'HOME' In darkness. This is causing great handicaps to our business and also to the other activities. So we beg to request you to kindly permit them as a special case and oblige.

Thanking you,

We beg to remain,Sir,
Yours obediently,
For, G.T.Chavan & Sons.,

R.Chavan

All offers and prices unless stated to be firm are without engagement and subject to stocks being available.

S.59/13/22759 & 50

El.B. P.W.D.

Submitted.

2. An application for a new service to this consumers was refused in the circumstances stated in the O.M. d. 21-6-43 & orders thereon. The consumers may be informed that the orders issued to the Coy on 29.6-43 are final. The draft put up may kindly issue and.

30/8/43

D/30/8

D.S

no. S.59/13/22759 El

P.W.D.

B.C. 31 Aug 1943

To

M/s G.T. Chawan & Sons

Gadag.

Sub:— Supply of electric power.

Dear Sirs,

With reference to your letter no. 28 dated 28th Aug 1943 I am to inform you that the orders issued to M/s The Gadag El Supply Coy on 29-6-43 are final. Yours Faithfully

Sirs

30/8/43

ISSUED

On 31/8/43

El Br 25/8

PUBLIC WORKS DEPARTMENT

File No. S. 59/13

24. AUG. 1943

Serial No. 22759

El. Br

31/8/43

D.S.

51

Tel. Address:- "CHAVAN"

TELEPHONE NO.28

Gopalrao Tukaram Chavan & Sons.

MERCHANTS & COMMISSION AGENTS.

Gadag 14th September 194 3

To

The Deputy Secretary
to thr Government of(India) BOMBAY.,
Public workd Department.,
Bombay.

Sir,

Subject: Supply of Electric Power.

------x------

We are in due receipt of yourletter No.S.59/13/22759-El. of 31st August 1943 and noted the contents thereof with regret.

We cannot express in writing the difficulties and grievances to which we are put to in absence of electric lights in our residential quarters. Due to the scarcityof Kerosene oil in the market , we are extremely handicapped and moreover as thearea of our Residential quarters is a big one, it is too expensive to utilise the Kerosene oil asdaily we require daily 1/4 Tin. If you please permit to equip the electric lights toour Residential quarters, it will reduce the consumption of the Kerosene oil - which will be a boon to the poorer classes who are not getting the oil for their daily usuage - and our expenses will come down as we hope, if the electric lights are supplied, there will not be so much consumption by way of charges. Your kind consideration in the matter is much solicited as this is a double benefit and profit to both.

As we are one of the Biggest merchants of Yarnin this centre and as we have several branches in the Provinces nearby, now and then our customers and Agents visit our Residence and in absence of sufficient light, we feel it rather too much - which is quite needless to point out. The Guests are put to great inconveniences and our work also is being much suffered as the main private correspondence in our Business is carried on at night times. In day light the actual selling and buying business goes on and the accounting and correspondence is mainly carried at night times.

Further our children who are studying in High Schools are also suffering much as they are losing their regular studies which note.

Under the circumstances, we beg to request you again to kindly permit M/s Manvi Bros.Gadag to furnish us with atleast minimum electric lights and oblige. We have very plainly and without any harm to the smooth working of the present Electric supply of Gadag, placed before you barefacts which please - reconsider and be kind enough to comply withour request a s a special case and oblige.Thankingyou, We Beg To Remain,Sir,

Yours obediently,

R Chavan

FOR GOPALRAO TUKARAM CHAVAN & SONS.

3/25481

El.B. P.W.D.

Submitted.

1. The supply in respect of these consumers was refused in the circumstances stated in the D.O. No. 5 d. 21-6-43 & again their request for their appeal to reconsider the case was rejected. No. 8 They may be informed that the orders already issued to M/s Thakurdas & Supply Coy on 29-6-43 cannot be reconsidered. The draft put up may issue, if agreed

SW 27/9/43

27/9

D-S.

No: S.59/13/25481 El

P.W.D.

B.C. 28th Sept, 1943

To M/s G. T. Chainani & Sons Hyderabad.

El.B.16/9.

PUBLIC WORKS DEPARTMENT
File No. S-59/13
16. SEP
Serial No. 25481

Sub:— Supply of electric power.

Dear Sirs,

With reference to your letter No. 9 dated 14th Sept. 1943, I am to inform you that the orders already issued to M/s Thakurdas & Supply Coy on 29-6-43 No. 6 cannot be reconsidered. Yours truly,

SW. 27/9/43 27/9

ISSUED
Dt. 29.9.43

TELEGRAM 'MANVI BROS'

MANVI BROTHERS,

Electric Light & Power Suppliers,

Gadag-Betigeri, Byadgi and Ranebennur.

Gadag 29-11-1943.

To,

The Deputy Secretary to the Government of
BOMBAY. Public Works Department BOMBAY.

Sir,

Subject:- Transferring of Wiring Instal-lations and Service Mains.

We here with beg to report that, we have carried out the transfers of the Electric wiring installations and the Service Mains, of the following Consumers, as they have shifted from their old buildings to the new ones, with their own existing materials, without any extra cost for extra materials:-

Consumers' Regd.Nos.	Consumers' Names.	No. of Lights.	No.of Plugs.
544.	S.V. HALWAGALI.	3.	2.
545.	Halwagali "		
327.	Amarshing Manshing Gangavati.	4.	0
345.	Virupaxeppa Gursangappa Kalgi.	9.	2.
51.	V.B. Koti.	.5 H.P. Motor	
5.	Himatmal Nenamal	4.	0.
202.	Krishnaji Pandurang Kuratti.	1.	1.
293.	Shivappa Fakirappa Gujamagdi.	2.	0.

Yours most obedien-tly.

For Manvi Brothers Gadag.

S.59/13/34344 2

Endors

No. S. 59/13/34344 Ee

P.W.D.

B.C. 7th Dec 1943.

Copy forwarded to the

for info

ISSUED

10/12/43

PUBLIC WORKS DEPARTMENT
File No. S-59/13
1 DEC. 1943
Serial No. 34344

TELEGRAM 'MANVI BROS'

MANVI BROTHERS,

Electric Light & Power Suppliers,

Gadag-Betigeri, Byadgi and Ranebennur.

DIST: DHARWAR.

Gadag 2-12-1943.

To,

The Deputy Secretary,
to the Government of BOMBAY,
Public Works Department B O M B A Y .

Sir,

Subject:- Re-connections for the Existing installations.

We are sending herewith 2 application forms in duplicate for reconnections , whose have got their old wiring installations and service Mains existing , and whose Registered Nos. are 50 & 68 respectively on flat rate system.

Hoping to get an early reply .

Yours obediently,

U. R. Bellad

For Manvi Brothers Gadag.

2 attachments EIB 6/12

PUBLIC WORKS DEPARTMENT
File No. S-59/13
-6 DEC 1943
Serial No. 34760

Reg. No. 1671

S.1.3

S.59/13/34750

Application No. –

El. Br. 57 7

Submitted.

P. W. D.

–

Name:- M/S Bidi & Tobacco Shop.

Yes 9 ← 13/12/43

2. The application is for reconnection of an installation disconnected on 1-4-1943 i.e. less than a year ago. The application may be sanctioned. h.1

3. The supply for M/s. D. Ingalalli forwarded by the supply coy with their letter h.5 is being dealt with separately.

4. While returning the apply, the coy will be asked to submit the applns in the forms laid down in G.I. No. 1932/36 EE d. 24-9-43 in future. h.1

† will be put up if reqd.

Exec. 11/12/43 13

D.S. ✓

Supdg Engr V 15/12

9 13/12

Secy

S.59/13/34750 Q/

58.

P.W.D.

El. B.

Resubmitted with reference to the Orders overleaf.

2. The necessary entry has been made in the appln & the duplicate copy within. After D.S. has signed, the appln will be returned to the Coy & the duplicate copy forwarded to the Bl Engr to Govt with the draft put up for appl.

ghw.
17/12/43

D.S.

* Sanctioned.

+ at pn 1 & 3

S.59/13/34750

No. S.59/13/34750 El
P.W.D.
B.C. 20th Dec. 1943.

To

M/s S.A. Mamni Esq.,
Licensee, Gadag Electric License,
1936, Gadag.

Sub:— Supply of electric power
to M/s M.Y. Bagi & Bros.

Dear Sir,

On returning herewith your applⁿ. for a permit to supply electric power to the above-mentioned consumers, read with your letter d. 2nd Dec. 1943, with the orders thereon, I am to ask you to submit the applns in the forms laid down in G.N. No. 1932/36 El d. 24-9-43 in future.

Yours faithfully

Encl— Copy, with the wonf of the applns rcpd to, 17/12/43 forwarded for information to the Asst Engr to Govt.

ISSUED with approval
on 23/12/43 Asst Exec Engr

A.E.E. Gadag
No. 1

D.A. The applns rcpd to.

TELEGRAM 'MANVI BROS'

MANVI BROTHERS,

Electric Light & Power Suppliers,

Gadag-Betigeri, Byadgi and Ranebennur.

DIST: DHARWAR

Gadag 21-1-1944.

To,

The Deputy Secretary,
to the Government of Bombay,
P.W.D. BOMBAY.

Sir,

Re:-Transfering of wiring instalatio
s and service Mains at GADAG.

We herewith beg to report that , we have carried out the transfers of the Electric Wiring installations with Service Mains, of f the following Consumers, as they have shifted from their old Buildings to the present ones, with their own existing Materials, without an y extra materials.:-

Consumer's Regd. No.	Consumer's Name.	No. of Lights.	No. of Plugs.
199	N.V. Bhandge	2.	1.
400	Gangappa I. Shiratti	2.	1.
536	Vyog Vyayamshala	3.	0.

ly

Yours most obedient

For Manvi Brothers Gadag.

S.59/13/2366 2 6

Endorse.

No. S.59/13/2366 El
P.W.D.
B.C. 11th January 1944.

Copy forwarded to the Chief Engr to Govt for information with reference to G.I. No. 1932/36 El dt. 16-7-42.

By order of the Govr

6/1/44

S.A.S.

ISSUED 4/2/44

PUBLIC WORKS DEPARTMENT
File No. S.59/13
24. JAN. 1944
Serial No. 2366

El 12.

63 15 S.59/13/34750(1)

Application No. —
+MH-1-2,5-6 & 7-10.

25 JAN 1944

Names:-
(1) Mr. Veerchand Kanjee.
(2) " K. A. Bhagat.
(3) " Doddarachappa Ingalalli.

El. Br. P. W. D. 63
34194(4). Submitted with S. nos. 34194 (1) &
2. The three applications, written for reconnections of the installations disconnected on 1-8-40, 6-12-40 & 1-10-41 respectively over a year ago but after 3rd Sep. 1939. They may be refd. u.o. to the El. Engr. to Govt. with a request to report whether the previous electric installations are in existence and if so, whether any replacements and renewals are necy.

S.A.S. 20/1/44
U.O. to the Engr. to Govt

22/1/44.

P.T.O.

M.O.V. to the El. Engr. to Govt. from T. any. 1944.

No. LRm7 4880 Dt. 15-2-44.

Returned herewith compliments.

2. All the installations are in good condition & no renewals & replacements are necessary.

Electrical Engineer to Government.
P. W. D., Bombay.

PUBLIC WORKS DEPARTMENT
File No. S 59 13
15 FEB. 1944
4605

EE Rly 16/2

EL. ENGINEER TO GOVERNMENT
Inward No. 769S
25 JAN 1944
File No. LRm7
P. W. D., BOMBAY

EL 15.2.44

15 65 S.59/13/4605

El.B. P.W.D.

Submitted with reference to the O.M. dt. 20-1-44. P.13

2. In view of the report of the El Engr to Govt, P.14 pp 1-2, 5-6 & 9-10. the applns may be sanctioned.

* Sanctioned. 3. The necessary entry has been made in the applns & the duplicate copies

S. 59/13/4605

Draft pp 2, 4, 6, 8, 10 & 12.

within. After D.S. has signed, pp 1-2, 5-6 & 9-10.
the applns will be returned
to the esy & their duplicate
pp 3-4, 11-7 & 11-12.
copies forwarded to the Sol
Engr to Govt.

sliv.
21/2/44

CJJ
22.II.44



S.59|13|30154(1)

Application No. —

El. Br.

Submitted.

P. W. D.

Name:- M. Anandappa
K. S. Belgaum.

2. The application is for reconnection of an installation disconnected on. 1-11-42 i.e. over a year ago but ~~before~~ after 3rd Sep. 1939. It may be refd. u.o. to the El. Engr. to Govt. with a request to report whether the previous electric installation is in existence and if so, whether any replacements and renewals are necy.

2/12/43

4.12.43.

S.A.S.

U.O to the El. Engr. to Govt

S.59/13/369

U.O.R. to the El. Engr. to Govt. of 7th Dec. 1944.

No SRm7 4210 of 29/12/43 issue no 0

Returned with compliments 6/12

2. The installation is in good condition & no renewals or replacements are necessary.



S-59/13

29 DEC. 1943

El. E. P.W.D.

Submitted with reference to the O.W.d. 2-12-43 overleaf.

2. In view of the above report of the El. Engr. to Govt., the application may be sanctioned.

29/12/43 D.S.V.

S·59/13/369

(✕).

Application No. ——

El. Br. P. W. D.

Resubmitted with reference to the orders within.

Name:- Anandappa Kariyeppa, Shavi Betigeri.

2. The necessary entry* has been made in the application and its duplicate copy. After Dy. Secy. has signed,† the application will be returned to the Company and the duplicate copy forwarded to the Electrical Engineer to Government.

BGS. 11-1-44

11/1/44

* ~~Refused~~ Sanctioned.

† at pp 1 & 3 & p 1 & p 3

ISSUED pp 1-4 On 12/1/44

File in the Para 1/1

9/1/44

(Noting as at A above) 12/1

S.59/13/34194(2)

Ee.B. P.W.D.

Submitted.

2. The applicant is for the transfer & the reconnection. The installation was disconnected on 1-11-42 i.e. over a year ago. It is for orders whether the papers may first be sent w.o. to the Sub Engr to post with a request to report whether the previous electric installation is in existence & if so, whether any replacements & renewals are necessary.



21 JAN 1944

Yes

sliv. 20/1/44

2/Jan

w.o.r. to the El. Engr. Wind. 1st Jany. 1944

S.59/13/4598 Sheet 7 ✓

No. 4382 D/15-2-44.

Returned with compliments

2. The installation is in good condition and no renewals or replacements are necessary.

Electrical Engineer to Government,
P. W. D., Bombay

El. B.

P.W.D.

Submitted with reference to the O.M.D. 20-1-44 overleaf.

2. In view of the above report of the Executive Engr to grant the applⁿ may be sanctioned subject to the following conditions:—

(a) the transfer of the installation from the old place to the new place is required for the same consumer,

El Br 16/2

PUBLIC WORKS DEPARTMENT
File No. S 59/13
15. FEB. 1944
Serial No. 4598

El Br
15-2-44

S.59/13/4898

(b) the installation at the old place is entirely removed &

(c) no new materials are reqd either by the coy or the consumer in effecting the transfer."

GHW
21/2/44

May be sanctioned subject to the above

D.S.
(S & R)

enclosure.

The Addn secy need not be troubled for this

Addl Secy.

GHW.
21.II.44.

S.59/13/4598

Ft. B.

P.W.

Mr. Hiratmalji
Maniramji.

Re submitted with reference to the D. S's orders overleaf.

2. The marginally noted entry has been made in the annty & the duplicate copy within. S.A.S. After he has signed, the annty will be returned to the copy & the duplicate copy forwarded to the Rt Engr to Govt.

25/2/44

26/2/44

Sanctioned subject to the following conditions:— conditions as given in the o.m. d. 21-2-44 on the 6th ante.

ISSUED
On. 29/2/44

S. A. S. for
(DUR)

TELEGRAM 'MANVI BROS'

MANVI BROTHERS,

Electric Light & Power Suppliers,

Gadag-Betigeri, Byadgi and Ranebennur.

DIST: DHARWAR

Gadag 19-2-1944.

To,
The Deputy Secretary,
to the Government of BOMBAY,
P.W.D. BOMBAY.

Re:- Transfering of Electric wiring installations with servicemains at GADAG.----------s

Sir,

We herewith beg to report that, we have carried out the transfers of the Electric wiring installations with their service mains, of the following consumers, from the old buildings to the shifted buildings, with their own existing materials, without any extra cost for extra materials:-------

Consumers' Meter Regd Nos.	Consumers' Names.	No. of Lights.	No. of Plugs.
172.	Y.S. Challamarad	3.	0
472.	S.R. Hiremath	3.	1
403.	B.A. Alur.	2.	0
401.	V.C. Javali.	4.	0

Yours most obedient Servant,
For Manvi Brothers Gadag.

Chief Electrical Engineer.

S59/13/5154.
P. 1

Endorse

No 559/13/5154-El.
P.W.D.
B.C. 24th Feb. 44.

P.1
Copy forwarded to the
El. Engr. to Govt. for —
information with ref. to —
G.L.No. 1932/36-El. dtd
16th July 42 & 15-12-43.

By Order of the C. of B.

SD
24/2/44

ISSUED
On 24/2/44

El Br 21/2

PUBLIC WORKS DEPARTMENT
File No. S-59/13
21 FEB. 1944
Serial No. 5154

El Br
21-2-44

TELEGRAM: MANVI BROS'

MANVI BROTHERS,

Electric Light & Power Suppliers,

Gadag-Betigeri, Byadgi and Ranebennur.

DIST: DHARWAR

Gadag 21st October 1943.

To,
The Deputy Secretary to the Government of Bombay,
Public Works Department, BOMBAY.

Sir,

Re:— Reconnections for the old wiring installations & old service mains, existing .

We herewith beg to enclose(~~XXXXX~~) the applications forms of 7 consumers , in duplicate , which please acknowledge. All these applications are for Reconnections only for the Old and existing wiring installations, & with old existing service mains, without any extra cost for extra materials.

Regarding the consumers at the Cloth market Gadag, we have to request & inform you that, the said Market belongs to the Gadag-Betgeri Municipality, and due to the dispute between the Consumers and the Municipality, about the rent etc., the Lights of such consumers were disconnected on 1-11-1942. Now , Reconnections for all such consumers , whose applications are enclosed herewith, are to be carried out, without any extra cost for extra materials. Hoping to receive an early reply Thanking in anticipation sir .

Yours faithfully,

Manager , V. L. Bellur

For Manvi Brothers Gadag.

PUBLIC WORKS
S.S.T./13
Reg. nos.
30154 6Z6-15

S.59/13/30154

No.S.59/13/30154-El.

P. W. D.

B.C. Nov. 1943

To

S.A.Manvi, Esq.,
Licensee, The Gadag Electric License,
1936, Gadag.

Subject:- Supply of el. power.

.....

Dear Sirs,

With ref. to your letter dated the 21st October 1943, I am directed to state that in all ten applications have been sent therewith and not seven as stated therein. The applications (in duplicate) returned herewith should please be resubmitted -

(i) with clean duplicate copy of the application on behalf of Mr.Himatlal J.Meramji, which should exactly be a true copy of the original one; and

(ii)...

59/13/30154

(ii) after filling in the lighting pad against item 6 (a) in the othe applications.

+ Mr 1, 5, 9, 13, 17, 21, 25 & 29.
Mr 1, 5, 9, 13 & 17.

The necy. orders in respect of the remainng one will be communicated to you in due cdrse.

Yours faithfully,

22/11/43.

Mr 1.36
D.A.-Nine applications (in duplicate).

VR.15/11.

S A S.

ISSUED with applns in duplicate
On 25/11/43

TELEGRAM 'MANVI BROS

MANVI BROTHERS,

Electric Light & Power Suppliers,

Gadag-Betigeri, Byadgi and Ranebennur.

DIST: DHARWAR

Gadag 28-11-1943.

To,

The Deputy Secretary to the Government of
BOMBAY, Public Works Department.
BOMBAY..

Sir,

Subject:- Supply of Electric Power

MP 39-40 23-24.

With reference to your letter No.8.59/13/ 30154-El, dated 23rd November 1943, we herewith beg to ~~xxxx~~ resubmit the Nine application Forms of Consumers (which were returned) duly Corrected, as per your suggestions. A fresh duplicate copy of the Application Form, of Mr.Himatmal-ji Mahiramji is also enclosed herewith along with the other 8 Application forms, which please acknowledge and arrange to do the needful.

Yours most obediently,

For Manvi Brothers Gadag

V. R. Bulla

Manager.

2/2
S·59/13/34194

El.B. P.W.D.

Acknowledged

ISSUED
on 4-12-43

PUBLIC WORKS DEPARTMENT
File No. S-59/13
30. NOV. 1943
Serial No. 34194

30/11
Reg. mst.
18 to 26.

Applications
No. 15 - 1

25 JAN 1911 + ₹ 21

Names:-

(1) M/s Ugandi Hanmappa & Co.
(2) Mr. Veerappa Shidramappa.
(3) " Vasichanji Hajarimalji.
(4) " Jesaji Mangniram.
(5) " Suraji Hansaji.

El. Br. P. W. D.

ante. Submitted with reference to y.r. on pp. 23-24

2. The pp 1-19 applications within are for reconnections of the installations disconnected on 1-11-1942 i.e. over a year ago but before 3rd Sep. 1939. They may be refd. u.o. to the El. Engr. to Govt. with a request to report whether the previous electric installations are in existence and if so, whether any replacements and renewals are necy.

3. The applns for M/s V.N. Sukhanpur, Hematmalji Mahiramji, Veerchand Kanjee

S.59/13/34194. 28

& K.A. Bhagat read with the corr's
letter 1-25 have been dealt with
separately.

Sir.
21/1/44

22/1/44

S.R.S

7692

125

Form 7 El

PUBLIC WORKS DEPA
Lefkosa S 59/13
5-2-44 5 FEB 1944
Serial 4604

E.W.

R.O.R. of the El. Engr. to Govt. dated 20th Jany. 1944. No. 1881 (15.2.44)
Returned with compliments. No. Form 7/
2. All the installations are in good condition requiring no renewals or replacements.

Electrical Engineer to Government.
P. W. D. Samos.

85 24 S.59/13/34194

EE.B. P.W.D.

Submitted with reference to the O.M. d. 21-1-44.

2. These papers contain five applns. The EE enge to good remarks that all the installations are in good condition & require no renewals & replacements.

THH 2,5.6,7-
9-10,12 14-15-18.

3. The applns on pp 1-2; 5-6, 9-10 & 13-14 ante are for the reconnections at the same premises where the previous installations were disconnected. They may be sanctioned. While the applns

S.59/13/34 94 30 ~~Rs~~ ~~Rs~~ 1-

On Mr 13-14 amt is for the reconnection at the new premises. It may be sanctioned subject to the following conditions:—

(a) The supply at the new premises is reqd by the same consumer.

(b) the installation at the old place is entirely removed &

(c) ~~c~~ no new materials are reqd by the coy or the consumer in giving supply at the new place.

Clw.
21/2/44

May be sanctioned. The Addl Secy need not be troubled.

D.S. (S.A.R)

Clw
21.2.44.

Addl Secy.

S.59/13/34194

Application s
No. —

El. Br. P. W. D.

Resubmitted with reference to the orders within.

~~Name~~ :-

O Mh 1-2, 5-6, 9-10, 13-14 & 17-18.

W Mh 3-4, 7-8, 11-12, 15-16 & 19-20. * ~~Refused~~ ~~Sanctioned~~.

2. The necessary entry* has been made in the application s and ~~its~~ duplicate copy*. After ~~Dy~~ S.A. Secy. has signed, the application s will be returned to the Company and the duplicate copy* forwarded to the Electrical Engineer to Government.

25/2/44

* Pl see overleaf.

+ at Mh 2, 4, 6, 8, 10, 12, 14, 16, 18 & 20.

ISSUED as at S. A. S. + or D. S. 19 (B)
on 6-3-44

2/3/44

Box 713

S-57/13
34194

32 88

(1) M/S U. Honnapa & Co.
(2) Mr. V. S. Badigannavar
(3) " V. Hajarimalji.
(4) " S. Hansaji
:— Sanctioned

(4) Mr. J. Magniram :— Sanctioned subject to the following conditions:-
conditions as in para 3 of the O.M.d. 21-2-44 on p. 30 ante.

S.59/13/34194[illegible]

No. S. 59/13/34194(3)EE

P.W.D.

Bc. 21st January 1944

To

S. A. Manni Esq.,

Licensee, The Gadag Electric License, 1936, Gadag.

Sub: — Supply of electric power to Mr. V. N. Subrampur.

Dear Sirs,

With reference to the application for a permit to supply electric power to the above-mentioned consumer vide your letter dated 28-11-43, you are requested to furnish the following information:

(a) Whether the 8 lights & 2 plugs now applied for are the same as those that were in the house prior to its repair.

T/13/34194(3)

(c) whether the supply of 300 watts electric power now applied for as in the same as the consumer was receiving prior to the repair of the house or any addl load is proposed to be connected.

(d) (c) the date of the completion of the repair of the house.

Sd/-
19/11/44

Yours ffly

Sd/-
19/11

ISSUED
On 22/1/45

IN

✓

TELEGRAM 'MANVI BROS'

MANVI BROTHERS,

Electric Light & Power Suppliers,

Gadag-Betigeri, Byadgi and Ranebennur.

DIST. DHARWAR

Gadag 11-2-1944.

To,

The Deputy-Secretary to the Government of BOMBAY, P.W.D.

Subject:- Supply of electric power to Mr. V.N. Sultanpur.

Dear Sir,

With reference to your letter No. S. 59/13/34194(3)-El. dated 21st January 1944, regarding the informations that you asked for are mentioned as below:-

(a) The 8 Lights & 2 Plugs now applied for are the same as those that were in the house prier to its repair.

(b) The supply of 300 Watts electric Power now applied for, is the same as the consumer was receiving prior to the repair of the house, and no additional load is proposed to be connected.

(c) The completion of the roof repairing was completed (fihished) on the 16th June 1942, as per the said consumer's information letter.

Yours most obediently,

For Manager Manvi Brothers
Gadag.

S.59/13/4410 S.36. 92

El.B. P.W.D.

Submitted with reference to G.Y. on the application of the Coy's Supply Officer, the application may be sanctioned subject to the condition that the previous maximum demand is not exceeded. If the Coy may be asked to report that demand to you for information. It may be stated that the supply has been permitted in the past where it was disconnected for the reconstruction of the buildings

14/2

PUBLIC WORKS DEPARTMENT
File No. S-59/13
14. FEB. 1944
Serial No. 4410

EBR 14/2

3793 S.59/13/4410

E.E.B. P.W.D.

Submitted with reference
34
to y. L. on pp 5 to 7 ante.

2. Attention is invited to the
35
coy's reply. Supply has been
sanctioned to the reconstructed
building in the past. The applin
may be sanctioned subject to the
condition that the previous maximum
demand is not exceeded & the
coy may be asked to report
that demand to Govt for inform

Sd.
28/2/44

I agree
Sd
2.III.44

S. 59/13/4410

94

V. N. Sultanpur Nagar.
Sadar.

E.E. B.

P.W.D.

Resubmitted with reference to the D.S's orders overleaf.

2. The marginally noted* entry has been made in the supply & the duplicate copy within. After D.S. has signed, the supply will be returned to the copy & the duplicate copy forwarded to the E.E. Nagar to Govt.

Sd/-
3/3/44

*Sanctioned subject to the condition that the previous maximum demand (which should be reported to Govt for information) is not exceeded.

ISSUED
On 6.3.44

TELEGRAM 'MANVI BROS'

MANVI BROTHERS,

Electric Light & Power Suppliers,

— Gadag–Betigeri,–Byadgi–and–Ranebennur. ———

DIST: DHARWAR

Gadag 7-3-1943,

To,

The Deputy Secretary,
to the Government of Bombay,
P.W.D. Bombay.

Re;- Reminder for the Applications for reconnections sent on the 21-10-1943.

Sir,

We herewith beg to request your honour that, the applications of the following Consumers, for Reconnections , were sent on 21-10-43, for necessary sanction. So, we hope that those applications may kindly be considered & sanctioned at your earliest convenient date, as they are very eager for the needful.

(1)	Suraj Hansaji	1	Light.
(2)	V.N. Sultanpur	8	" & 2 Plugs.
(3)	Jesaji Manganiram	1	"
(4)	Vastichand Hajarimal	1	"
(5)	Veerappa Shidramappa Badigannavar	1	"
(6)	Ugadi Honnappa & Co.	1	"

Your most obedient Servants

Manager, V.R. Manvi.
For Manvi Brothers Gadag.

S.59/13/6917

El.B. P.W.D.

Submitted.

2. The necessary orders on the supply report to overlay have already been issued to the coy on the 6-3-44. + W 31-32

Record. p. 38.

11/3/44

13

13/3/44

14 13/3 C.H.S.

El Br 9/3

PUBLIC WORKS DEPARTMENT
S-59/13
9 MAR 1944
Serial No. 6917

TELEGRAM 'MANVI BROS'

MANVI BROTHERS,

Electric Light & Power Suppliers,

Gadag-Betigeri, Byadgi and Ranebennur.

DIST: DHARWAR

Gadag 2-3-1944.

To,

The Deputy secretary,
to the Government of Bombay.
P.W.D. BOMBAY.

Re:- Transfer of Electric wiring installation with service mains

Sir,

We herewith beg to report that, we have carried out the work of transfering the wiring of Electric lights, with their service mains of the following consumers, from the old buildings to to the shifted buildings, with their own existing materials , without any extra cost for extra materials.

Consumers' Meter Regd. Nos.	Consumers' Names.	No. of Lights	No. of Pluge
46	Hanmantsing Thakursing Gangavati	1	0
40	The Bombay Cap Mart	3	0
440	Saik Nasirjang	9	1

Your most obedient
Servant,
For Manvi Brothers Gadag.

Manager.

S59/13/6754
Enclosure

2 98

No. S59/13/6754-E.

P.W.D.

B.C. 14th Jan. 44.

P.1

Copy forwarded for information to the El. Engr. & Encl: with ref. to C.E. No. 1932/26-E. Dtd. 16th July 42 & 1932/26-E. Dtd. 15th Dec. 43.

By order of the Govt.

ISSUED
On 14/3/44

S.A.S.

9/3/44

9/3/44

PUBLIC WORKS DEPARTMENT
File No. S 59/13
7. MAR. 1944
Serial No. 6754

True. Copy.

Dr. S.S. Patil. (L.D.Sc. Karachi)
Dental Surgeon GADAG.

Gadag:-10-4-1944.

To,
Messrs Manvi Brothers ,
Electric Power suppliers GADAG.

Dear Sirs,

Kindly transfer and reconnect the wiring installation of 5 Lights & 2 Plugs, with service Mains, Meter Board, of Regd. No.511 to the residential house of my friends Messrs.G.T.Chavan and Sons, yarn Merchants Gadag and oblige.

Yours truely
Sd:- S.S. Patil.

True Copy

Goral rao Tukaram Chavan & Sons.
Merchants & Commission Agents Gadag.

Gadag:-10-4-1944.

To,
M/S. Manvi Bros.
Electric Light & Power Suppliers
Gadag.

Dear Sirs,

Kindly transfer and reconnect the wiring installation of 5 lights & 2 Plugs with S. Mains and Meter Board of Regd. No. 511 which is on the name of Dr. S.S. Patil , Dental Surgeon Gadag, to our Residential house at Gadag, and Oblige.

Thanking you Sirs,

Yours faithfully,
For G.T. Chavan & Sons
Sd:- R.G. Chawan.

MANVI BROTHERS,

Electric Light & Power Suppliers, GADAG.

Dist :- DHARWAR.

Date Gadag. 11-4-1944.

To,
The Deputy Secretary ,
to the Government of Bombay,
Public Works Department.

Sir,

We herewith beg to bring to your kind notice that, One Consumer named Dr.S.S. Patil, Dental Surgeon Gadag, whose Regd No.is 511 for 5 Lights & 2 Plugs, Wants his lights to be reconnected and transferred to his friends Residential house, at Gadag only, Named Messrs. G.T. Chavan & Sons, Yarn Merchants Gadag, for which we have enclosed herewith the Applications, p.1 from both the Parties. We hope that you will kindly consider the applications p.1 and give us the favourable reply, at your earliest convenient date . The supply of the said consumer for the said lights was stopped on 30-6-1943.

Yours most obedient
Servants,

MANAGER: V. R. Bellad

For Manvi Brothers Gadag.

59/13/10394.

Ex. Br.

P.W.D.

Submitted -

2. The P.I. is for shifting of an installation and to reconnect it in the name of another consumer. Generally, transfers are permitted i reconnect in the name of the same consumer. It was also considered as a matter of policy to refused refuse transfers in the name of different consumers unless their essentiality is otherwise established. Since the essentiality of transfer in the name of different consumer is not proved in the present case, it is for orders whether the coy. may be informed that the request of the consumer cannot be granted.

17/4/44.

May be refused

17.IV.44

Ex. Br.

P.W.D.

Resubmitted with ref. to the orders above -

2. The draft put up may issue, if approved.

19/4/44

PUBLIC WORKS DEPARTMENT
File No. 5-59/13
13. APR. 1944
Serial No. 10394

S 59/13/10394

No. S 59/13/10394-el.

P.W.D.

B.C. 91 St April 44

To

M/s. Manuel Bros.,

Gadag.

Subj- Transfer of el. connection.

Dear Sirs,

With ref. to your letter, D. the 11th April 44, on the above mentioned subject, I am to request you to inform the consumers that their request cannot be granted.

Yours Faly.

ISSUED
On... 24-4-44.

19/4/44

19.IV.44

D S.

MANVI BROTHERS.

Electric Light & Power Suppliers, GADAG.

(Dist:- Dharwar.)

Head Office :- GADAG, *Branches:-* RANEBENNUR & BYADGI.

Date 13-4-1944.

To,

The Deputy secretary,
to the Government of Bombay,
P.W.D. BOMBAY.

Re:- Transfer of wiring installations and service mains of the Consumers, carried out at Gadag.--------

Sir,

We herewith beg to report that, the wiring installations and Service Mains of the following Consumers are transferred to their shifted Buildings, without recurring any extra expenses for extra materials. The transfers are carried out for the same consumers' use.

Regd.No.	Name of Consumer	Light	Plug
340	Totappa Chanbasappa Badigannavar.	19	2
345	Virupaxeppa G. Kaligi	9	2
459	Dr. S.S. Patil	8	3

Your obedient servants,

For Manvi Brothers Gadag.

S59/13/10630 2 66.

Endorse No. 559/13/10630-H.

P.W.D.

B.C. 8/ April 44.

2/

P.1

Copy forwarded (with)

for information to the El.

Engr. & Contr. with ref. to

G.L. nos. 1932/36-el dtd

16th July 1942 & 1932/36-el

of the 15th Dec. 1943

By Order of the G. of B.

8/4/44

19/4/44

ISSUED

above slip

2 Rs

PUBLIC WORKS DEPARTMENT

File No. S-59/13

17. APR.

10630

MANVI BROTHERS.

Electric Light & Power Suppliers, GADAG.

(*Dist:- Dharwar.*)

Head Office :- GADAG, *Branches:-* RANEBENNUR & BYADGI.

Date 12-4-1944.

To,
The Deputy Secretary,
to the Government of Bombay,
P.W.D. Bombay.

Re:- Reconnection Report for the following Consumers at Gadag.

Sir,

We herewith beg to report that, the following Consumers' lights are reconnected as per your sanction, by utilising the same old services Etc.

		Light
(1)	Andaneppa Kariyeppa Shavi Betgeri	1.
(2)	M.L. Bagi & Brothers Gadag.	1
(3)	Veerchand Kanjee at Gadag.	11
(4)	Dodda Rachappa Ingalalli "	1 P.
(5)	K.A. Bhagat "	3-1
(6)	Himatmal Hahiramji Cloth Market.	1
(7)	Suraj Hansaji " "	1
(8)	Jesaji Manganiram " "	1
(9)	Vastichand Hajarimakji " "	1
(10)	Veerappa Shidramappa Badigannavar	1
(11)	Messrs. Ugadi Honnappa & Co., "	1

Yours obedient servant

for Manager.
Manvi Brothers Gadag

S.59/13/10672

108

Ee.B.

P.W.D.

Record.

Sic
14/5/44
in

15/5/44.

S.A.S.

Attn Minister
15/5

PUBLIC WORKS DEPARTMENT
File No. S.59/13
17. APR. 1944
Serial No. 10672

EE B

Mr. S. V. Ballary.

5 | 09 S.59/13/10675

C.E.B. P.W.D.

Submitted.

2. The application is for the transfer of the installation from one place to another but in respect of a different person. The present consumer wants to sell off his installation as he is unable to pay the monthly energy charges owing to his poor monetary condition. Transfers of installations are permitted in respect of the same consumers and not different persons. The apply may be refused.

S.59/13/10675

3. The necessary entry has been made in the applⁿ and the duplicate copy within. After D.S. has signed, the applⁿ will be returned to the Coy. and the duplicate copy forwarded to the Bde Engr & Gond-

Engr
12/5/44

may be refused
GR
12.V.44

ISSUED as at A
On 13/5/44

- S59/19/13277

Application No.

Name.

Mr. S. R. Pradhan

(44). W

El. Br. P. W. D.

Submitted.

2. The application is for a temry. supply for a period of three days pp 1-3 Under G. of I. instructions tempy. supply can normally be permitted for a period not exceeding 4 weeks provided that all the materials used are recoverable at the end of the period.

3. The application may be ~~refused~~ sanctioned pp 1-3 subject to the provision mentioned above.

4. The necessary ~~entry~~ has been made in the applcn. and its duplicate copy. Refd the Dy. Secy. has ~~sign~~

* Temporary supply for a period of three days is — sanctioned subject to — condition that all the materials used are recoverable at the end of the period.

pp 1-3 x 7

59/13/13277)
pp 1-3
The aff[idavit] must be rel[ated] to the corr[espondence] and
its duplicate pp 5-7 copy forwarded to the cc: A
Engr. to Cent[re]:

Dy
15/5/44.

Cll
15.V.44

Pl. recall as it D. S (DDR).
A at mess Khoja
15/5

Issued as at A
15/5/44

Dft sd 15/5 for 16/5

MANVI BROTHERS,

ELECTRIC LIGHT & POWER SUPPLIERS GADAG.

(Dist:- Dharwar.)

Head Office :- GADAG.

Branches :- Haveri, Byadgi & Ranebennur.

Date 14-5- 1944.

To,

The Deputy Secretary
to the Government of Bombay
P.W.D. Bombay.

Re:- Transfers of Wiring installa-
-tions with service Mains of
Consumers , carried out at
Gadag.

Sir,

We herewith beg to report that, the wiring installations of the following Consumer are transferred with their service mains, from their original Buildings to their shifted ones, without recurring any extra cost for extra materials. The said transfers are carred out f for the same Consumers' use.

Regd. No.	Names of Consumers	Lights	Plugs
202	K.P.Kuratti (Shop).	1	1
72	Shivappa B. Itigi .	2	1

Your most obedient
Servants,

Chief Electrical Engineer,

For Manvi Brothers Gadag.

to,
The Deputy Secretary
to the Government of Bombay
P.W.D. Bombay.

Sir,

Subject:- Transfers of fitting installations with service mains of Consumers, carried out at Ganesh Khind.

I am directed by Government to report that, the transfers of fittings and installations of the following consumers situated on Ganesh Khind Road, Poona, from their existing supply mains to their service mains, have been carried out by the Poona Electric Supply Corporation, Ltd. as stated below:-

No.	Names of Consumers	Lights	
25	Sayaji Raje Bhosle (Boob).	2	1
26	A. Aurelli (Boob).	1	1

Your most obedient

PUBLIC WORKS DEPARTMENT
File No. S. 59/13
16 MAY 1941
Serial No. 13423

E 16/5

E 13

16-5 [illegible]

115 5 559/13/13423

No. 559/13/13423-44. P.W.D.

B.C. May 44.

30th

To

M/s. The Manvi Brothers,

Gadag.

Subj.- Supply of H-power

Dear Sirs,

With ref. to your P.1 letter dtd 14th May 44 regarding transfer of wiring installations I am to invite your attention to this G.L. no 1932/66-44 dtd 16th July and to request you to submit the details regarding the old and new premises of the consumer.

Yours Affy.

ISSUED 2/6/44

SK 29/6/44.

GL 29.VI.44

MANVI BROTHERS,

ELECTRIC LIGHT & POWER SUPPLIERS GADAG

(Dist:- Dharwar.)

Head Office :- GADAG.

Branches :- Haveri, Byadgi & Ranebennur.

Date 5-6-1944.

To,

The Deputy Secretary to the Govt. of Bombay
Public Works Department.
BOMBAY.

Subject:- Supply of Electric Power.

Sir,

With reference to your letter No.S.59/13/13423-El., dated 30th May 1944, regarding the transfers of the two following Consumers' wiring installations, are detailed as below.:-

METER Regd.No	Consumers' Names.	Detailed information & nature of the Premises, and nature of supply.
202	K.P.Kuratti	He had his old shop at Javali Bazar Gadag, and the present shifted Shop is at the Station Main Road Gadag. The same service in tapping is shifted from Pole No. CD/14 to AB/4 The supply is given for lighting only.
72	Shivappa B. Itigi	The service mains & the wiring installations are transferred, from his old place, i.e. Cotten Vakhar at The Cotten Market Gadag, Pole No. C/310, to his present building of flour Mill factory, near Tanga Stand Gadag, Pole No. C/340. The supply is for lighting only.

Your most obedient Servants

For Manvi Brothers Gadag.

Electrical Engineer

559/13/15619

P-5

Endorse No. 559/13/15619-GL

P.W.D.

B.C. 13 June 44

P-5

Copy forwarded for information to the Gl. Engr. 6 Inf. Div. with ref. to this G.L.

and 1982/36-GL. Dtd. 15th Dec-43.

By Order of the C.E. of Ops.

Dated:-

ISSUED

On 19-6-44

PUBLIC WORKS DEPARTMENT

PDO No. 559/13

JUN. 1944

Serial No. 15619

MANVI BROTHERS, 119

ELECTRIC LIGHT & POWER SUPPLIERS GADAG.

(Dist:- Dharwar.)

Head Office :- GADAG.

Branches :- Haveri, Byadgi & Ranebennur.

Date 6/7/1944. 1944

To,

The Deputy Secretary,
to the Government of BOMBAY,
P.W.D. B O M B A Y.

Re.- Supply of Electric Power to
Mr. V.N. Sultanpur Gadag.

Sir,

We herewith beg to report that, the Reconnection is given for 8 Lights & 2 Plugs to Mr. V.N. Sultanpur's House at Extension Gadag, as per your Sanction,"subject to the Conditions, that the previous maximum demand ~~(illegible)~~ of 300 Watts is not to be exceeded."

× will be put up if required.

Yours most obedient
Servants,

For Manvi Bros. Gadag.

Chief Electrical Engineer.

S.59/13
18846

El. Br.

Submitted for information.
Record.

10.7.44

S. A. S.

El. Br.

Resubmitted.

2. It is regretted that the reference was recorded through oversight. Actually it is necy. to endorse a copy of it to the El. Engr. to Govt. which may be done now as per draft put up below.

ABA
2/8/44

No. S.59/13/18846-El. P.W.D., B.C., 8th Aug. 44

Copy forwarded for information to the El. Engr. to Govt.

By Order of the G. of B.

ABA
2-8-44

S/8/44

WORKS DEPARTMENT
No. S.59/13
8. JUL. 1944
Serial No. 18846

ISSUED
On 10/8/44

El. Br.
S. A. S.
8-7-44

MANVI BROTHERS, 121

ELECTRIC LIGHT & POWER SUPPLIERS GADAG.

(Dist:- Dharwar.)

Head Office :- GADAG.

Branches :- Haveri, Byadgi & Ranebennur.

Date 26th May 1944.

To,

The Deputy Secretary
to the Government of Bombay,
P.W.D. BOMBAY.

Re:- Transfer of wiring installation with service Mains, of Consumers carried out at GADAG.----------

Sir,

We herewith beg to report that, the wiring installations of the following Consumers, are transferred with their existing service Mains, from their original Buildings to their shifted Buildings, without recurring any extra cost for extra materials. The said transfers of the following Consumers are carried out for their own use.

Regd. No.	Names of Consumers.	Lights.	Plugs.
171	Belur K. Karne House	3	0
433	Bassappa Ningappa Gadagin (Betigeri) Shop	2	1

We beg to remain Sir,
Your most obedient servants,

For Manvi Brothers Gadag

Chief Electrical Engineer

S·59/13
14584

Endorse
No. S·59/13/14584 El.
P. W. D.
B.C. June 1944

Copy forwarded to the
El. Engr. to Govt. for
information with reference
to ~~Hon~~ G/Ls no. 1932/36 El + will be put up.
~~dated the 16-7-42 re the G/L No.~~
~~1932/36 El~~ dated the 15-12-43.

By order of the G.G.B.

31-5-44.

9/6/44

S.A.S.

PUBLIC WORKS DEPARTMENT
File No S 59/13
29. MAY 1944
Serial No. 14584

S·59/13
14584

No. S·59/13/14584 El.

P. W. D.
B. C. 14 June 1944.
14

To

M/S. The Mama Brosers,
Gadag (Dist. - Dharwar).

Sub:— Transfer of connections.

Dear Sirs,

With reference to your letter dt. the 26th May 1944, please report the addl & new premises of the consumers, Vide in this connection G. L. no. 1932/36 El dt. the 16-7-42. This information should invariably be given in future.

+ will be fixed up in regd

- 13/6 Executive Engr.

ISSUED
21/6/44
12-6-44

ISSUED
On 16/6/44
14/6/44

S.59/13
14584

No. S.59/13/14584 El.

P. W. B.
B.C. 11th Sept. 1944.
2/51

To
M/S. ~~The~~ Manvi Brothers,
Gadag. (Dist - Dharwar).

Sub:- Transfer of ~~electric~~ connections.

Dear Sirs,

I am to refer to G. L. No. S.59/13/14584 El, d. the 14th June 1944, and to request you to expedite the submission of the information called for therein.

Yours affly.
18/9/Exec.

D.R. - Nil.

ISSUED
On 12/9/1944

B.C.
13-9-44.
J.S.M.
14/9/44.

2/5

MANVI BROTHERS, 125

ELECTRIC LIGHT & POWER SUPPLIERS GADAG.

(Dist:- Dharwar.)

Head Office :- GADAG.

Branches :- Haveri, Byadgi & Ranebennur.

Date 28/9/1944. 104

To,

The Assistant Secretary to the Government of Bombay, Public works Department.

Subject:- Transfer of Connections.

Dear Sir, P.4

With reference to your letter No. S.59/13/14584-El., dated 21st September 1944, and another letter No.S.59/13/14584-El, dated 14th June 1944, We herewith beg to submit the following informations as detailed below :-

(1). Belur K.Karne, with service Mains
The wiring installation of the said Consumer, is transfered from his old rented Shop at Javali Bazar Gadag, to his own Residential House at Katagar owni Gadag, for lighting Purpose only.

(2) Basappa Ningappa Gadagin with service mains
The Wiring installation is transfered from his old rented Shop, at Kuratti Peth Betigeri, to his own (Kirani) Shop build -ing at Kuratti peth Betigeri, for lightin -g purpose only.

We will go on sending such kind of informati -ons regularly in future as per your order.

Your most obedient Servants,

For Manvi Brothers, Gadag.

V. R. Bellur

MANAGER

S 59/13
26891.

126

No. S 59/13/26891-El.
P.W.D.,
B.C., 11th Oct. 44

p.5
copy, together with a
copy of the letter d. the p.1
26-5-44 from M/s.
Manivi Bros., forwarded
-d the Dy. Engr. for
Govt. for information
with ref. to R.L's. Nos.
1932/36-El. d. the 16-7-42
-15-12-43.

x will be put up
if req.

ISSUED
On 12/10/44

By order etc.

V.S.M.
4/10/44.

16/10/44

S.A.S.

El. M. 9/10

7/10.

2. Reg.
9/10

File 14/10

PUBLIC WORKS DEPT.
FILE S-59/13
2. OCT
SEC. 26891

GLB

MANVI BROTHERS,

ELECTRIC LIGHT & POWER SUPPLIERS GADAG.

(Dist:- Dharwar.)

Head Office :- GADAG.

Branches :- Haveri, Byadgi & Ranebennur.

Date 2/10/1944194

The Deputy Secretary to the Government of Bombay, P.W.D.

Subject:- Transfer of Connections.

Sir,

We herewith beg to submit the report of Mr. Karbasappa Kadiyappa Kallikeri, that, the wiring installation of 3 light Points & 1 Plug Point , together with the original Service Mains are transferred from his Grain-Shop Grain Market Gadag, to his Residential House at Javal Peth Gadag. The same old wiring materials and the same existing service Mains are utilised for the transfer of the said installation, for lighting only.

Yours most obedient Servants,

Manager, V.R. Bulla .

For Manvi Brothers Gadag.

S 59/13
27216

No. S 59/13/27216-El.
P. W. D.,
B. C., 12th oct. 44.

b/l
copy forwarded to the El. Engr. to Govt. for information with ref. to G. Os. Nos. 1932/36-El. dt. the 16-7-42 & 15-12-43.

X might be put up

By order etc.

V.SM.
5/10/44.

ISSUED
On 14/10/44

S. A. S.

2/11

Fil
16/10

El. 13. 4/10.

PUBLIC WORKS DEPARTMENT
File No. S-59/13
4. OCT
Serial No. 27216

El 13
El-Ec

MANVI BROTHERS,

Electric Light & Power Suppliers GADAG.

Dist :- DHARWAR.

Date 9.11.1944.

To,

The Deputy Secretary to the
Government of Bombay,
P.W.D. B O M B A Y .

Sub:- Transfer of wiring installation, with service Mains.---

Sir,

We herewith beg to report that , the existing wiring installation of 5 Light Points of Mr.S.B. Sangam Soda Factory, Mahalaxmi Road Gadag, is transfered to his newly shifted building for the Soda Factory, at Javali - Bazar near Mahabubsab Katti Gadag. The existing same wiring Materiels and the same Service Mains are utilised to his newly shifted Building. The said connection is meant for lighting purpose only .

Yours most obediently

Chief Electrical Engineer

For Manvi Brothers Gadag.

S 59|13| 31323

No. S 59|13|31323-Bl.

P. W. D.,

B.C., 18th Nov. 44.

A copy forwarded to the Bl. Engr. for information with ref to R.L's. No. 1932/36- Bl. dt. 16-7-42 & 15-12-43.

ISSUED

On 21|11|44.

PUBLIC WORKS DEPARTMENT

File No. S-59/13

13. NOV. 1944

Serial No. 31323

MANVI BROTHERS,

Electric Light & Power Suppliers, GADAG.

(Dist:- Dharwar.)

Head Office :- GADAG, *Branches:-* RANEBENNUR & BYADGI.

Date 3-1-1945. 1644

To,

Deputy Secretary to the
Government of BOMBAY.
P.W.D.

Sub:- Transfer of wiring installa-ion with the service Mains.

Sir,

We herewith beg to report that, the wiring installation of 6 Light Points , with Service Mains ; of Dr. N.H. Godbole from his old rented building at Station Main Road Gada of Dispensary, to his newl occupied Dispensary Buildin, near Imperial Bank of India Ltd., at Pala Badami Road Gadag is transferred . The existing same wiring materials , with the same Service mains are utilised , without any extra cost . The above said 6 light points are meant for lighting purpose only . (From pole No B 101 to B 152).

Yours most obediently,
For Manvi Brothers Gadag
Chief Electrical Engineer.

S.59|13|770. 132

El.Br. P.W.D.

p1
Endorse.

No. S.59|13|770-El.
P.W.D.
B.C., 12th January, 1945.

p1
Copy forwarded for information to the El. Engr. to Govt. with reference to G.L.s. No. 1932|36-El., dated the 16th July 42 and 15th December, 1943.

× × will be put up if need.

By Order etc.

9145

11.1.45.

ISSUED
On 15/1/45

SAR

8l.B2 8/1

PUBLIC WORKS DEPARTMENT
File No. S 59/13
8. JAN. 1945
Serial No. 770

Fil 16/1

El 15 WR P

15.1.45

MANVI BROTHERS,

Electric Light & Power Suppliers, GADAG.

(Dist:- Dharwar.)

Head Office :- GADAG. · *Branches:-* RANEBENNUR & BYADGI.

Date 16-4-1945. 194-

To,

The Deputy Secretary to the Government of BOMBAY P.W.D.

Through, t' =

The Collector District DHARWAR,

Subject:- Temporary illumination for the "Diamond Jubilee Celebration of the Municipal High School GADAG-Betgeri.----------

Sirs,

We herewith beg to enclose the Applic-ation Form, in duplicate, duly filled in, for the temporary illumination , at the "Diamond Jubilee" Celebration , which is to be held on the 8th & 9th May 1945, which please acknowledge.

Urgent

The temporary illumination may be connected through the existing Service Mains only, without recurring any extra cost for extra materials. They have got in stock all the necessary Electric wiring materials with them, which please note.

Hoping an early reply with necessary Sanction, as the same illumination is urgent-y required by the said institutation, for the above mentioned occation.

Your most obedient Servants,

for Manvi Brothers GADAG.

Sh 5-6

Below application from Manvi Bros, Gadag dated 16/4/45.

Urgent please.

No.E.L.E.S.R./Gadag Camp Shiggaon, 1/5/1945

Submitted and recommended. Very early orders are requested in view of the proximity of the date.

BB.

District Magistrate, Dharwar.

S. 59|13| 14940.

E.Br. (II) P.W.D.

Submitted.

2|- Temporary supply of 2-0 KW. is required at the Municipal High-School, Gadag-Betgiri on the 8th & 9th ~~April~~ May 1945 for the Diamond Jubilee Celebration of the High-School. The supply is recommended by the D.M. Dharwar.

3|- According to the existing policy of Govt. temporary supply of ely. is to be sanctioned only in such cases where it is considered essential for the war effort or any other equally important purpose.

4|- Orders are solicited on the application.

The occasion is special & The supply required being small may be sanctioned as a spl case.

5-5-45.

5 V 45

5.59| 13|14940.

138

Name –

The Municipal High School.
Gadag-Betgiri

El. Fn. (II)

PWD.,

Resubmitted with reference to the Deputy Secretary's order overleaf.

2|- The necessary entry* has already been made and signed by the Deputy Secretary in the application and its duplicate copy. The application may therefore, be returned to the Co. and the duplicate copy forwarded to the El. Engr. to hand

* Sanctioned for two days (8th & 9th May) only.

Issued.

ISSUED
On 7/5/45

7-5-45.

file 7/5

further ref 5.59|13 35765

MANVI BROTHERS.

Electric Light & Power Suppliers, GADAG.

(Dist:- Dharwar.)

Head Office :- GADAG. *Branches:-* RANEBENNUR & BYADGI.

Date 12-5-1945. *194*

To,

The Deputy Secretary,
to the Government of BOMBAY,
P.W.D. Electrical Department,
B O M B A Y .

~~XXX~~, Re:- Transfer of Electric wiring installations & Service Mains.

Sir,

We herewith beg to report that, the Electr -ic wiring installations with service Mains of the following consumers, are transfered from their old buildings to their present shifted Buildings ~~as mentioned below:~~

(1) Mahadevappa Abbigeri 3 Lights - o Plug
Transfered from Dalal Shop near PuncharHond, to the present Dalal Sho building near Kondwade Gadag, as he shifted his shop from the old buildin to the newly shifted one, for lightin only.

(2) Totayya Veerayya Hidkimath 3 Lights - O Plu
Transfered from his Dalal Shop at Hattikal Bazar, to his own House at Haldibba Gadag, as there is no busine ss at the shop, due to war conditions for lighting only.

All the above wiring installations & Servi -ce Mains are transfered , without incurring any extra cost for extra materials.

Copy forwarded with B.C. to the Assistant Electrical Inspector, P.W.D. POONA, for infor -mation.

Yours obediently,

For Manvi Brothers
GADAG.-

S. 59/13/15848

El. Br. (II)

Endorse.

2

W.D.
P.W.D.

No. S.59/13/15848-El(II).

P. W. D.
B.C., 21st May 1945.

Copy P.1 forwarded for information to The El. Engr. to Govt. with refce. to The G.Ls.× No. 1932/36-El., dated the 16th July 1942 and 15th Decr. 1943.

By order of The G. of B.

× Will be put up if reqd.

GR. 17-5-45

JRJ 18.5.45

Issue 22/5/45

S. A. S.

Issue & track 17/5

File 23/5

EE Br II 16/5

PUBLIC WORKS DEPARTMENT
File No. S.59/13.
16 MAY 1944
Reg. No. 15848

ECB II

HR 16/5

16 5 45

~~15-1-45.~~ 53/E (49)

SCHEDULE III.

Conditions of essentiality of supply.

(a) A supply

(i) to any military camp or defence works;
(ii) to blocks of Government offices in which Provincial Governments are satisfied that electrical supply is essential.

(N.B.) Military Commands have been ordered to apply only for supply in accordance with standards that have been accepted by Defence Department as essential.

(b) A new supply to a factory manufacturing products required either directly or indirectly for the Department of Supply.

✓ (c) A supply for certain essential services necessary for the minimum needs of the community of war effort as a whole such as a water or sewage pumping plant, hospital, research institution etc.

(Note) A supply for increase in street lighting is not regarded as essential.

(d) A supply ~~of~~ for an industry which though not directly or indirectly connected with the manufacture of products for the Department of Supply is clearly desirable in the light of --- national war economy to serve the needs of the population on a minimum wartime basis.

(e) A supply to residences, offices or shops, only where special hardship or exceptional fire risk would ensure from a refusal.

VR.3/3/44.

From

Dr N.H.Godbole,
M.B.B.S.

Bai Kashibai Maternity
and Nursing Home, Gadag.

22nd March 1945.

To,

The Collector of Dharwar,
Dharwar.

Sir,

I theundersigned wish to bring the following for your kind consideration.

I am running a hospital named Bai Kashibai Maternity and Nursing Home with about 20 beds. The water requirements of the hospital is great as it is to be provided to the patients their relatives and for the washing and cleaning purposes of the hospital. It is very difficult and costly for drawing the water by hand. As such I request your honour in the interest of the Institution to grant me permission, at an earliest date, for using electric power for drawing out water from the well.

Mr Shidramappa Manvi the proprietor of the Electric Works has kindly agreed to supply the current. I therefore request your honour to kindly do the needful and oblige.

I beg to remain

Sir,

Your most obedient servant,

N H Godbole
22-3-45

MANVI BROTHERS,

Electric Light & Power Suppliers, GADAG.

(Dist:- Dharwar.)

Head Office :- GADAG, Branches:- RANEBENNUR & BYADGI.

Date 27-3-1945. 494

To,

The Deputy Secretary,
to the Government of Bombay,
P.W.D. Electrical Department,
B O M B A Y .

Through the District Magistrate,
D H A R W A R .

Re:- Application for the additional supply for the water Pumping-set for the Maternity Hospital of Dr. V.H. Godbole at Gadag.

Sirs,

We are enclosing herewith the 2 application Forms, duly filled in, through the District Magistrate Dharwar, with due recommendations, for necessary Sanction, which please acknowledge and kindly arrange for the needful at an early date & oblige.

Yours most obediently

For Manvi Brothers Gadag.

9147

p.7.

Below letter from Messrs.Maniv Brothers Gadag dated 27/3/45.

No.E.L.E.S.R. \ . Camp Dastikop, 4/4/1945.

Submitted to the Deputy Secretary to Government P.W.D.Bombay for favourable consideration.

2. The supply of Electric energy to the water pumping installation to the Maternity & Nursing Home is essential in the interest of public health and welfare. The institution is partly charitable and admits the poor also. The application of ~~khm~~ Dr.Godbole with my endorsement thereon accompanies.

p5 p5

BB. ~~Gov.~~ Dc signed by Dr.

for District Magistrate, Dharwar.

S-59/13/11539. to 148

El. Br.

Submitted.

2. Addl. supply of 1·5 K.W. of el. power is reqd. for the partly charitable maternity Hospital at Gadag, in con. with el. motor to drive the water pumping set. The 1/1-2 applen. is forwarded through the Dist. magistrate, Dharwar, who has recommended the same – vide his Endt. No. E.L.E.S.R.1, d. the 4-4-45, to 9

EIB 9/4.

PUBLIC WORKS DEPARTMENT
File No S.59/B.
9. APR 1945
11539.

R9 No 29

S-59/13/11539.

Attention is invited to condition (e)* of essentiality of supply. Unless it is considered necy. to refer the papers pp. 1-2 reo. to the G.O; the applcn. may be sanctioned.

* at the Commencement



ABB.
12-4-45

G.D. should be consulted.

GH
13.IV.45

U.O.R. to the G.D. dated 16-4-45.



G.D.

Rec'd. for favour of remarks in the first instance.

19/4/45

20/4/45

19.4.45

Returned 20-4-45

Surgeon General's Office.

Returned

The additional supply of 1.5 K.W. of electric power required for Dr.Godbole's Maternity Home at Gadag in connection with the electric motor to drive the water pumping set is in my opinion essential.

Major-General,I.M.S.
Surgeon General with the Government of
Bombay.

GENERAL DEPARTMENT
File No. P.W.D. 5.59/13/1539
1073
23 MAY 1945
Serial No. 25

MVM.21/5

U.O.R.to Government in the General Department No.S.319/E dated 2nd May 1945.

Submitted with
P. 11 ante
of to the o.u. dated 19-4-45.
2. These papers
may be returned to the
P.W.D. with an expression
of concurrence in the remarks

S 59/13/115-39

28/5/45

28/5/45

29th May 1945

El. Br. II.

Submitted with ref. to the
c/n. dtd 12th April 45 -

2/- In view of the remarks of
the Surgeon General with the Govt.
of Bombay concurred in by the G.D.
It is for consideration whether the
admn. for el. power supply for a
Maternity Home may be sanctioned.

4/5/45.

yes.
GH
6/VI/45

D-S.

PUBLIC WORKS DEPARTMENT
File No. S.59/13
30. MAY 1945
SECTION

30/5

Sr. N.H. Godbole

8-59/13
11539

El. B(II)

P.W.D.

Resubmitted with reference to the orders on the previous page.

2. The necessary entry* has been made in the applm. & its duplicate copy. After D.S. has signed the applm. will be returned to the Coy. & the duplicate copy forwarded to the El. Engr. to Govt.

* Sanctioned.

BLG 7-6-45

JRY 7-6-45

ISSUED
On 11/6/45
D.S.

8/VI/45